





Multifunctional all-in-one top-class Bluetooth[®] sound system

- Detailed hi-fi sound with a high-end two-way stereo system with HECO kraft paper woofermidrange drivers and powerful fabric domes
- Music streaming via Bluetooth® with the high-end audio standard Qualcomm[®] aptX[™], direct connection for a turntable, connections for TV & other sources (digital optical and coax), plus many other connections
- Stereo digital amplifier with 200 watts maximum output power for particularly natural sound
- Solid wooden cabinet with high-quality semi-matt lacquer finish and all-metal foot construction
- Comfortable control by a multi-feature remote control and two-digit front display







Specially designed all-metal foot construction including resonance absorbers for a stable base, three-point mounting for perfect weight distribution











HECO

DIREKT 800 BT

HIGHLIGHTS

Drivers

- Two 1" silk-compound fabric domes with aluminium Wave Control sound and powerful neodymium drive
- Two 5" woofer-midrange drivers optimised for broadband reproduction with light HECO kraft paper cone, high-performance voice coil and powerful magnet system
- Solid metal basket with generous ventilation openings
- Magnet systems linearised with the high-tech Klippel[®] measuring system for ideal symmetry and minimal distortions

Cabinet

- Stylish semi-matt lacquer finish with contrasting stripes on the front
- Solidly built, strutted MDF flat enclosure with attractive curves
- Specially designed all-metal foot construction including resonance absorbers for a stable base, three-point mounting for perfect weight distribution
- Downfire bass-reflex design with bi-directional airflow-optimized rounded tubes for maximum bass effect
- Four round, detachable front covers with acoustic cloth and invisible magnet fixing

Amplifier & Connections

- Analogue stereo input (Cinch R/L) with switchable phono preamplifier for direct connection of a record player with magnet system (MM)
- Additional 3.5 mm analogue stereo input for connecting portable audio devices
- Optical and coaxial digital input for direct connection of digital audio devices (e. g. TV)
- Sampling rates of all digital inputs up to 24 Bit/192 kHz
- Subwoofer output for connecting an external active subwoofer
- Two-digit 14-segment LED display at the speaker front
- Control for volume and input selection at the rear panel
- Complete control incl. sound settings is ensured via the supplied remote control (incl. battery)
- Low standby power consumption (< 0.5 watts) with auto standby function

Crossover

Amplitude- and phase-optimised crossover with high-quality components







Powered stereo all-in-one speaker system

Principle Drivers

Power Output (RMS/Max) Frequency Response Crossover Frequencies Mains voltage Cabinet surface

Dimensions (WxHxD) Weight

HECO Direkt 800 BT Black satin HECO Direkt 800 BT White satin 2-way stereo bass reflex, active 2 x 1" dome tweeter 2 x 5" woofer-midrange 2 x 45 / 2 x 100 watts 35 - 40 000 Hz 2700 Hz 100 - 240 V Black satin White satin 480 x 320 x 228 mm 8.6 kg

Art. No.: 135 0730 • EAN: 40 29678 50730 3 Art. No.: 135 0732 • EAN: 40 29678 50732 7