



MICRO CUBE 108D

UNDERSEAT-SUBWOOFER

**500 W MAX.
POWER**



**MAC
AUDIO**

MICRO CUBE 108D

UNDERSEAT-SUBWOOFER



» **Extreme flat underseat subwoofer**

» **Low-resonance aluminium die-cast enclosure**

POWER

» **20 cm high-power woofer**

» **Powerful 500 watts amplifier with digital switch-mode power supply**

COMPABILITY

» **Compatible with all car receivers**





MICRO CUBE 108D

HIGHLIGHTS

- 20 cm high-power woofer with low distortion aluminium cone
- Low-resonance aluminium die-cast enclosure
- Powerful 500 watts amplifier with digital switch-mode power supply
- Stereo RCA/high level inputs compatible with all car receivers, accepts line level (RCA) or speaker level outputs of the car receiver
- Automatic switch-on via DC/remote
- Variable low pass filter 50 – 150 Hz (12dB per octave)
- Variable bass boost 0 – 18 dB at 50 Hz
- Phase switch 0/180 degrees
- Remote volume control
- Incl. mounting material

SPECIFICATIONS	Micro Cube 108D
Max. power output (sine burst 2:8, 1 kHz) at 14.4V	500 W
RMS power output (DIN 45 324) at 14.4V	150 W
Frequency Response	25 – 150 Hz
Supply voltage	12 V
Input sensitivity Stereo LOW LEVEL HIGH LEVEL	100 mV – 3,5 V 450 mV – 10 V
Input impedance LOW LEVEL HIGH LEVEL	10 kOhm 200 Ohm
Fuse size	25 A
Dimensions (WxHxD)	246 x 77 x 290 mm
Weight	5,4 kg
Art.No.	110 44320
EAN.	40 23037 44320 2